References

❖Leung CK, Cheung CY, Weinreb RN, et al. (2008) Comparison of macular thickness measurements between time domain and spectral domain optical coherence tomography. Invest Ophthalmol Vis Sci.

❖Song W K, Lee S C, Lee E S, et al. (2010). Macular thickness variations with sex, age, and axial length in healthy subjects: a spectral domain-optical coherence tomography study. Invest Ophthalmol Vis Sci.

❖Lam DS, Leung KS, Mohamed S, et al. (2007). Regional variations in the relationship between macular thickness measurements and myopia. Invest Ophthalmol Vis Sci.

❖Porporato N., et al. (2020). Understanding diagnostic disagreement in angle closure assessment between anterior segment optical coherence tomography and gonioscopy. British Journal of Ophthalmology.

❖Phu, J., et al. (2019). Anterior Chamber Angle Evaluation Using Gonioscopy: Consistency and Agreement between Optometrists and Ophthalmologists. Optometry and Vision Science.

❖Tatham A. J., Medeiros F. A. (2017). Detecting Structural Progression in Glaucoma with Optical Coherence Tomography. Ophthalmology.

❖Ting D. S. W., Lee A. Y., Wong T.Y. (2019). An Ophthalmologist's Guide to Deciphering Studies in Artificial Intelligence. Ophthalmology.